QUICK REFERENCE GUIDE > RS6121SRK1

Integrated Column Refrigerator, 61cm

Series 11 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for true design freedom - this model is right hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height 2134mm
Width 603mm
Depth 610mm



FEATURES & BENEFITS

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Perfect fit

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry, or you can purchase

our stainless steel door panel.

Clever energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories 1067mm Stainless steel toe 25393 1220mm Stainless steel toe 25395 1372mm Stainless steel toe kick 25397 25399 1524mm Stainless steel toe 25389 610mm Stainless steel toe kick 762mm Stainless steel toe kick 25391 Contemporary round handle 25324 Contemporary square handle 25322

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 18.11.2021 > 2

Joiner kit	25328
Stainless steel door panel	25312
Capacity	
Total gross capacity	383L
Total net volume	351L
Volume	351L
Volume refrigerator	351L
Consumption	
Energy consumption	143kWh/year
Energy rating	3.5 star
Energy rating	F
Energy usage	213kWh/year
Features	
Adjustable door shelves	4
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
Stackable bottle holders	4
Installation Dimensions	
Minimum inside width of	610mm
Minimum internal depth of	635mm
Minimum internal height of	2134mm

ActiveSmart™ Foodcare	•
ActiveSmart™ technology	•
Adaptive defrost	•
Dual evaporator	
Frost free	
Humidity control system	
Inverter controlled compressor	
Noise emissions	42dBA
Noise emissions class	Г
Sabbath mode	
Variable food modes	Pantry; Fridge; Chil
	2
variable temperature zones	-
·	
Power requirements	
Power requirements Rated current	10,4
Power requirements Rated current Supply frequency	10 <i>A</i> 50H:
Power requirements Rated current Supply frequency Supply voltage	10 <i>A</i> 50H:
Power requirements Rated current Supply frequency Supply voltage Product dimensions	10 <i>A</i> 50Hz 230\
Power requirements Rated current Supply frequency Supply voltage Product dimensions Depth	10 <i>A</i> 50H: 230\ 610mm
Rated current Supply frequency Supply voltage Product dimensions	10 <i>A</i> 50Hz 230\ 610mm 2134mm
Power requirements Rated current Supply frequency Supply voltage Product dimensions Depth Height Width	10 <i>A</i> 50Hz 230\ 610mm 2134mm
Power requirements Rated current Supply frequency Supply voltage Product dimensions Depth Height	10A 50Hz 230V 610mm 2134mm 603mm

Parts and labour	5 years
SKU	25754

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Warranty

QUICK REFERENCE GUIDE > RS6121SRK1 Date: 18.11.2021 > 3



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 08000886605 **W**www.fisherpaykel.com